



UNINSULATED END SLEEVES KE

for flexible copper cables

KE series end sleeves are manufactured from tin plated electrolytic copper.
Designed and developed for use with flexible cables.



CERTIFICATES 


 BT 2006/95/CE | DIN 46228 Teil 1 1992 | DIN 57609 Teil 1 1983

Technical characteristics

Material (Body)

Tinned electrolytic copper electrolytically

Media gallery





Attachments



DATASHEET


List of products

 **KE** Cable type: flexible copper, Maximum section: 0.5 mm², Maximum diameter: 1 mm




Type	Ø	L	Pack qty	Min. pack qty
KE506ST	1 mm	6 mm	50,000	500
KE508ST	1 mm	8 mm	50,000	500

➤ **KE** Cable type: flexible copper, Maximum section: 0.75 mm²




Type	Ø	L	Pack qty	Min. pack qty
KE7506ST	1.2 mm	6 mm	50,000	500
KE7508ST	1.2 mm	8 mm	50,000	500

➤ **KE** Cable type: flexible copper, Maximum section: 1 mm²




Type	Ø	L	Pack qty	Min. pack qty
KE106ST	1.4 mm	6 mm	25,000	500
KE110ST	1.4 mm	10 mm	25,000	500

➤ **KE** Cable type: flexible copper, Maximum section: 1.5 mm²




Type	Ø	L	Pack qty	Min. pack qty
KE1510ST	1.8 mm	10 mm	25,000	500
KE1508ST	1.8 mm	7 mm	25,000	500

➤ **KE** Cable type: flexible copper, Maximum section: 2.5 mm²



Type	Ø	L	Pack qty	Min. pack qty
KE2508ST	2.3 mm	7 mm	25,000	500
KE2510ST	2.3 mm	10 mm	15,000	500


➤ **KE** Cable type: flexible copper, Maximum section: 4 mm²



Type	Ø	L	Pack qty	Min. pack qty
KE410ST	2.8 mm	9 mm	12,500	500


KE412ST	2.8 mm	12 mm	12,500	500
---------	--------	-------	--------	-----

KE Cable type: flexible copper, Maximum section: 6 mm²




Type	Ø	L	Pack qty	Min. pack qty
KE610ST	3.5 mm	10 mm	10,000	500
KE612ST	3.5 mm	12 mm	7,500	500
KE616ST	3.5 mm	15 mm	5,000	500

KE Cable type: flexible copper, Maximum section: 10 mm²




Type	Ø	L	Pack qty	Min. pack qty
KE1016ST	4.5 mm	15 mm	4,000	250

KE Cable type: flexible copper, Maximum section: 16 mm²




Type	Ø	L	Pack qty	Min. pack qty
KE1616ST	5.8 mm	15 mm	3,000	250

KE Cable type: flexible copper, Maximum section: 25 mm²



Type	Ø	L	Pack qty	Min. pack qty
KE25015ST	7.3 mm	15 mm	1,500	100
KE25018ST	7.3 mm	18 mm	1,500	100

KE Cable type: flexible copper, Maximum section: 35 mm²



Type	Ø	L	Pack qty	Min. pack qty
KE35012ST	8.3 mm	12 mm	1,500	100
KE35018ST	8.3 mm	18 mm	1,000	100