



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

| | | | | | | | |
|-----|------|-----------|-----|---------------------------|---------|-----|------|
| LOC | DIST | REVISIONS | | | | | |
| ES | 00 | P | LTR | DESCRIPTION | DATE | DWN | APVD |
| | | | B2 | REVISED PER ECO-11-005033 | 24MAR11 | RK | HMR |



- NOTES:
- 1 MATERIAL : 66 NYLON (UL94V-0)
 - 2. PRODUCT SPEC.: 108-5408
 - 3. APPLICATION SPEC.: 114-5179
 - 4 7-179228-3 WAS OBSOLETE.
 - 5 CAVITY NUMBER LOCATED. (OPTIONAL)



| | | | | | | | |
|------------|------------|------------|------------|-----|----|------|------|
| 7-179228-5 | 5-179228-5 | 3-179228-5 | 1-179228-5 | 15 | 28 | 30.8 | 32.0 |
| 7-▲ | 5-▲ | 3-▲ | 1-▲ | 14 | 26 | 28.8 | 30.0 |
| 7-▲ | 5-▲ | 3-▲ | 1-▲ | 13 | 24 | 26.8 | 28.0 |
| 7- | 5- | 3- | 1- | 12 | 22 | 24.8 | 26.0 |
| 7- | 5- | 3- | 1- | 11 | 20 | 22.8 | 24.0 |
| 7- | 5- | 3- | 1- | 10 | 18 | 20.8 | 22.0 |
| 6- | 4- | 2- | | 9 | 16 | 18.8 | 20.0 |
| 6- | 4- | 2- | | 8 | 14 | 16.8 | 18.0 |
| 6- | 4- | 2- | | 7 | 12 | 14.8 | 16.0 |
| 6- | 4- | 2- | | 6 | 10 | 12.8 | 14.0 |
| 6- | 4- | 2- | | 5 | 8 | 10.8 | 12.0 |
| 6- | 4- | 2- | | 4 | 6 | 8.8 | 10.0 |
| 6- | 4- | 2- | | 3 | 4 | 6.8 | 8.0 |
| 6-179228-2 | 4-179228-2 | 2-179228-2 | 179228-2 | 2 | 2 | 4.8 | 6.0 |
| BLACK | YELLOW | BLUE | NATURAL | POS | A | B | C |

| | | | | | | |
|--|--|--|-----------|---|----------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN | 12NOV1993 | | STE TE Connectivity | |
| | | CHK | 15NOV1993 | | | |
| | | APVD | 15NOV1993 | | | |
| | | PRODUCT SPEC | NAME | | | |
| DIMENSIONS: mm | | TOLERANCES UNLESS OTHERWISE SPECIFIED: | | CRIMP TYPE II RECEPTACLE HOUSING (AMP CT CONNECTOR 2mm PITCH) | | |
| | | 0 PLC | ± - | SIZE | | |
| | | 1 PLC | ± - | | | |
| | | 2 PLC | ± - | DRAWING NO | | |
| | | 3 PLC | ± - | | | |
| | | 4 PLC | ± - | A300779 C-179228 | | |
| | | ANGLES | ± 3° | | | |
| MATERIAL | | FINISH | | CUSTOMER DRAWING | | |
| SEE NOTE 1 | | - | | | | |

GENERAL TOLERANCE

| | |
|--------------|--------|
| 0 < * ≤ 10 | ± 0.2 |
| 10 < * ≤ 30 | ± 0.25 |
| 30 < * ≤ 100 | ± 0.3 |
| ANGLES | ± 3° |