



Part Number : [500798000](#)

Product Description : 1.25mm Pitch,  
PicoBlade Female Crimp Terminal, Tin (Sn)  
Plating, 28-26 AWG, Reel

Series Number : 50079

Status : Not Recommended For New Design

Product Category : Crimp Terminals



---

## Documents & Resources


### Tooling Specifications

[500580000-CS-000.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Compliant with Exemption 44
China RoHS	
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)7663-DC (21 Jan 2025)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

---

## Part Details

## General

Status	Not Recommended For New Design
Category	Crimp Terminals
Series	50079
Description	1.25mm Pitch, PicoBlade Female Crimp Terminal, Tin (Sn) Plating, 28-26 AWG, Reel
Application	Signal, Wire-to-Board, Wire-to-Wire
Product Name	PicoBlade
UPC	800753616233

## Electrical

Current - Maximum per Contact	1.0A
Voltage - Maximum	125V AC (RMS)/DC

## Physical

Durability (mating cycles max)	30
Gender	Female
Material - Metal	Phosphor Bronze
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	9.910/mg
Packaging Type	Reel
Plating min - Mating	0.889µm
Plating min - Termination	0.889µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	0.50-1.04mm
Wire Size (AWG)	26, 28
Wire Size mm <sup>2</sup>	N/A

---

## Application Tooling

### Global

Description	Part Number
Extraction Tool for Micro-Fit Terminals	<u>11030043</u>

Hand Crimp Tool for 1.25mm Pitch PicoBlade Receptacle Crimp Terminals, 32-26 AWG	<u>2002181900</u>
FA2 Mechanical Feed Crimp Applicator for 1.25mm Pitch PicoBlade Female Terminals, 28-26 AWG	<u>2130690400</u>
Hand Crimp Tool for 1.25mm Pitch Terminals on a Metal Strip, 32-26 AWG	<u>638110000</u>
T2 Terminator Tooling Die	<u>639103700</u>
FA2 Pneumatic Feed Crimp Applicator for 1.25mm Pitch PicoBlade Female Terminals, 32-26 AWG	<u>2130690410</u>
Hand Crimp Tool for 1.25mm Pitch PicoBlade Receptacle Crimp Terminals, 28-26 AWG	<u>2238632000</u>

## Application Tooling

### Japan

Description	Part Number
S-1 Applicator for PicoBlade Receptacle Terminals, 32-26 AWG	<u>570673700</u>
Extraction Tool	<u>570726000</u>